



BACHELOR OF MIDWIFERY
Midwifery Practice Experience
Record

Student Name:

WARNING

This material has been reproduced and communicated to you by or on behalf of the University of the Sunshine Coast in accordance with section 113P of the *Copyright Act 1968(Act.)*.

The material in this communication may be subject to copyright under the Act.

Any further reproduction or communication of this material by you may be the subject of copyright protection under the Act.

Do not remove this notice

Contents

| | |
|---|-------------------------------------|
| Contents | 6 |
| Introduction..... | 1 |
| Antenatal Care | 3 |
| Labour and Birth Care..... | 21 |
| Labour and birth care – primary accoucheur..... | 21 |
| Labour and birth care – additional direct and active care | 31 |
| Complex Care | 33 |
| Postnatal | 39 |
| Postnatal care | Error! Bookmark not defined. |
| Postnatal care – breastfeeding | 52 |
| Postnatal care – women’s health and sexual health..... | 54 |
| Postnatal care – four to six weeks postpartum..... | 55 |
| Neonatal Care | 56 |
| Neonatal care – examination of a newborn..... | 56 |
| Neonatal care – neonate with special needs | 59 |
| Observational experiences..... | 60 |
| Continuity of Care Experiences | 63 |
| Continuity of care experience: 1..... | 64 |
| Continuity of care experience: 2..... | 66 |
| Continuity of care experience: 3..... | 68 |
| Continuity of care experience: 4..... | 70 |
| Continuity of care experience: 5..... | 72 |
| Continuity of care experience: 6..... | 74 |
| Continuity of care experience: 7..... | 76 |
| Continuity of care experience: 8..... | 78 |
| Continuity of care experience: 9..... | 80 |
| Continuity of care experience: 10..... | 82 |
| Continuity of care experience: 11..... | 84 |
| Continuity of care experience: 12..... | 86 |

Introduction

ANMAC Midwife Accreditation Standards

The Australian Nursing and Midwifery Accreditation Council (ANMAC Standard 3)¹ require midwifery students to complete a minimum number of supervised midwifery practice experiences:

Continuity of care experiences

- a) Experience in woman-centred care as part of continuity of care experiences. The student is supported to:
 - i establish, maintain and conclude a professional relationship while experiencing continuity with individual women through pregnancy, labour and birth, and the postnatal period, regardless of model of care;
 - ii provide midwifery care within a professional practice setting and under the supervision of a midwife—in collaborative practice arrangements supervision by other relevant registered practitioners (for example, medical officer qualified in obstetrics, child health nurse or physiotherapist) may be appropriate;
 - iii engage with a minimum of **10** women—engagement involves attending four antenatal visits, two postnatal visits and, for the majority of women, the labour and birth;
 - iv maintain a record of each engagement incorporating regular reflection and review by the education or health service provider.

Antenatal care

- b) Attendance at **100** antenatal episodes of care. This may include women the student is following as part of their continuity of care experiences.

Labour and birth care

- c) Under the supervision of a midwife, act as the primary accoucheur for **30** women who experience a spontaneous vaginal birth, which may include women the student has engaged with as part of their continuity of care experiences. This also involves:
 - i providing direct and active care in the first stage of labour, where possible,
 - ii managing the third stage of labour, including the student providing care as appropriate if a manual removal of the placenta is required,
 - iii facilitating initial mother and baby interaction, including promotion of skin-to-skin contact and breastfeeding in accordance with the mother's wishes or situation,
 - iv assessment and monitoring of the mother's and baby's adaptation for the first hour post-birth including, where appropriate, consultation, referral and clinical handover.
- d) Provide direct and active care to an additional **10** women throughout the first stage of labour and, where possible, during birth—regardless of mode.

Complex care

- e) Experience in caring for **40** women with complex needs across pregnancy, labour, birth or the postnatal period. This may include women the student has engaged with as part of their continuity of care experiences.

Postnatal care

- f) Attendance at **100 postnatal episodes** of care with women and, where possible, their babies. This may include women the student has engaged with as part of their continuity of care experiences.
- g) Experiences in supporting women to feed their babies and in promoting breastfeeding in accordance with best-practice principles advocated by the Baby Friendly Health Initiative.

¹ ANMAC Midwife Accreditation Standards 2021

- h) Experiences in women's health and sexual health.
- i) Experiences in assessing the mother and baby at four to six weeks postpartum in the practice setting where possible; otherwise by use of simulation.

Neonatal care

- j) Experience in undertaking **20** full examinations of a newborn infant.
- k) Experiences in care of the neonate with special care needs.

How to use the midwifery practice experience record

This document provides evidence of MPEs only, and not clinical competency. Your clinical competency will be assessed separately throughout the midwifery program.

Documenting MPEs

- Print or purchase this document and document your MPE details whilst in the placement setting.
- Include brief but relevant details and context about the woman/baby e.g., gestation, parity, postnatal day, etc
- Include brief information about the care you provided. Choose one aspect to focus on e.g., Antenatal: '36 weeks gestation, baby breech on palpation = referred for ultrasound scan and follow up appt. next week'. You can use "I" statements.
- If the MPE is with one of your CONNECT women, document the Continuity of Care (CoC) number in the left hand 'Number' column in brackets. e.g., (CoC #1)
- Do not include identifiable information about women or babies e.g., names or dates of birth, etc.
- The midwife / registered health professional who supervised your care of the woman/baby must sign and date the MPE record and complete the signature log.
- Keep a backup copy in case you lose your record (scan or photocopy). See the examples provided in your course on Canvas.
- Please ensure that any additional MPE's are clearly numbered. Ensure your writing is legible.

Assessment

You will be required to submit evidence of progress towards completing your MPEs in assessment tasks for HLT132 Introduction to Midwifery Practice, HLT207 Midwifery Practice 1, HLT202 Midwifery Practice 2 and HLT311 Midwifery Practice 3. By the end of HLT312 Midwifery Internship you must have completed all MPEs. Please refer to course outlines for criteria regarding specific progress requirements for assessment.

See student guide in SONIA Online for how to upload your MPE portfolio to SONIA Online checks.

Antenatal Care

Antenatal Care

Attendance at 100 antenatal episodes of care. This may include women the student is following as part of their continuity of care experiences.

Example: MW appt, 36+2/40 G1P0. I performed an abdo palp: SFH 37cm, cep presentation LOA, 4/5 palp FHR with doppler 143bpm, I undertook maternal obs BP 120/73 P80bpm. I discussed Fetal movements-nil concerns I also discussed Safer Baby Bundle. The mw discussed further reducing tobacco use as woman reduced to 3 cigarettes per day. Follow up in 2/52 unless concerned.

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------|------|--|-----------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 27 | | | |
| 28 | | | |
| 29 | | | |
| 30 | | | |
| 31 | | | |
| 32 | | | |
| 33 | | | |
| 34 | | | |
| 35 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 36 | | | |
| 37 | | | |
| 38 | | | |
| 39 | | | |
| 40 | | | |
| 41 | | | |
| 42 | | | |
| 43 | | | |
| 44 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 45 | | | |
| 46 | | | |
| 47 | | | |
| 48 | | | |
| 49 | | | |
| 50 | | | |
| 51 | | | |
| 52 | | | |
| 53 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 54 | | | |
| 55 | | | |
| 56 | | | |
| 57 | | | |
| 58 | | | |
| 59 | | | |
| 60 | | | |
| 61 | | | |
| 62 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 63 | | | |
| 64 | | | |
| 65 | | | |
| 66 | | | |
| 67 | | | |
| 68 | | | |
| 69 | | | |
| 70 | | | |
| 71 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 72 | | | |
| 73 | | | |
| 74 | | | |
| 75 | | | |
| 76 | | | |
| 77 | | | |
| 78 | | | |
| 79 | | | |
| 80 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 81 | | | |
| 82 | | | |
| 83 | | | |
| 84 | | | |
| 85 | | | |
| 86 | | | |
| 87 | | | |
| 88 | | | |
| 89 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 90 | | | |
| 91 | | | |
| 92 | | | |
| 93 | | | |
| 94 | | | |
| 95 | | | |
| 96 | | | |
| 97 | | | |
| 98 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|--------------------------|------|--|--------------------------|
| 99 | | | |
| 100 | | | |
| 101 | | | |
| 102 | | | |
| 103 | | | |
| 104 | | | |
| 105 | | | |
| 106 | | | |
| 107 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|--------------------------|------|--|--------------------------|
| 108 | | | |
| 109 | | | |
| 110 | | | |
| 111 | | | |
| 112 | | | |
| 113 | | | |
| 114 | | | |
| 115 | | | |
| 116 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 117 | | | |
| 118 | | | |
| 119 | | | |
| 120 | | | |
| 121 | | | |
| 122 | | | |
| 123 | | | |
| 124 | | | |
| 125 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------------------|------|--|--------------------------|
| 126 | | | |
| 127 | | | |
| 128 | | | |
| 129 | | | |
| 130 | | | |
| 131 | | | |
| 132 | | | |
| 133 | | | |
| 134 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------------------|------|--|--------------------------|
| 135 | | | |
| 136 | | | |
| 137 | | | |
| 138 | | | |
| 139 | | | |
| 140 | | | |
| 141 | | | |
| 142 | | | |
| 143 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 144 | | | |
| 145 | | | |
| 146 | | | |
| 147 | | | |
| 148 | | | |
| 149 | | | |
| 150 | | | |
| 151 | | | |
| 152 | | | |

Antenatal Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 153 | | | |
| 154 | | | |
| 155 | | | |
| 156 | | | |
| 157 | | | |
| 158 | | | |
| 159 | | | |
| 160 | | | |
| 161 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur

Under the supervision of a midwife, act as the primary *accoucheur* for **30 women** who experience a spontaneous vaginal birth, which may include women the student has engaged with as part of their continuity of care experiences. This also involves:

- i providing **direct and active care in the first stage of labour**, where possible.
- ii **managing the third stage of labour**, including the student providing care as appropriate if a manual removal of the placenta is required.
- iii facilitating **initial mother and baby interaction**, including promotion of skin-to-skin contact and breastfeeding in accordance with the mother’s wishes or situation.
- iv **assessment and monitoring of the mother’s and baby’s adaptation for the first hour** post-birth including, where appropriate, consultation, referral and clinical handover.

Example: G2P1 39+3/40 Spontaneous labour, I arrived when woman was Contracting 3:10, was using Entonox for analgesia. I assisted with position changes and robozo as per the woman’s birth plan. Entered birth pool at 6cm (I did VE after mw), FHHR auscultated as per guidelines with doppler. Quickly progressed to SVWB at 2234, male infant Apgars 8 and 9. Assisted woman out of bath and administered oxytocin 1M for modified active 3rd stage, placenta & membranes delivered by CCT- both complete. EBL- 250mls, small grazes to labia suturing not required.

I undertook obs on woman and baby, both WNL, I assisted with initial breastfeed 40 minutes after skin-to-skin contact and administered Vit K and Hep B with consent from woman. I observed mw undertake full neonatal examination and I assisted with weight and HC. I handed care handed over to MIPU midwife supervised by birthsuite mw.

| No. (CoC no.) | Date | Information about the woman/baby (gestation, parity and if spont/IOL) and care provided. Include details of labour care, birth (including EBL, baby apgars), third stage management (active/physio Mx) and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|--|-----------------------|
| 1 | | | |

Labour and Birth Care

| | | | |
|---|--|--|--|
| 2 | | | |
|---|--|--|--|

Labour and Birth Care

Labour and birth care – primary accoucheur

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 7 | | | |
| 8 | | | |
| 9 | | | |
| 10 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 15 | | | |
| 16 | | | |
| 17 | | | |
| 18 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 27 | | | |
| 28 | | | |
| 29 | | | |
| 30 | | | |

Labour and Birth Care

Labour and birth care – primary accoucheur (additional)

| No. (CoC no.) | Date | Information about the woman/baby and care provided. Include details of labour care, birth, third stage management and initial mother and baby interaction and immediate postpartum care provided in the first hour. | MW signature and date |
|------------------|------|---|-----------------------|
| 31 | | | |
| 32 | | | |
| 33 | | | |
| 34 | | | |

Labour and Birth Care

Labour and birth care – additional direct and active care

Provide direct and active care to an additional 10 women throughout the first stage of labour and, where possible, during birth—regardless of mode.

Example: G1P0 41/40 IOL for post-dates, woman has oxytocin IVT running, cont 3:10 and was 5cm dilated when I commenced shift. I undertook all maternal obs and palpated conts and documented CTG interpretation. Mw collaborated with OB's as CTG was abnormal, discussed options with woman. Oxytocin IVT reduced and Drs will review in collaboration with MW. Care handed over to PM MW as my shift finished.

| No. (CoC no.) | Date | Information about the woman/baby and care provided. | MW signature and date |
|------------------|------|---|--------------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Labour and Birth Care

Labour and birth care – additional direct and active care

| No. (CoC no.) | Date | Information about the woman/baby and care provided. | MW signature and date |
|------------------------------|------|---|--------------------------|
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |

Complex Care

Complex Care

Experience in caring for 40 women with complex needs across pregnancy, labour, birth or the postnatal period. This may include women the student has engaged with as part of their continuity of care experiences.

You can use the ACM guidelines for consultation & referral for guidance on levels of complex care.

Example: Obstetric appt G2P1 28+2/40 woman has history of a previous LSCS in last pregnancy and is planning a VBAC, Dr shared information about risks and benefits for VBAC. I undertook abdo palp, SFH 29cm, FHHR 137bpm, maternal obs WNL. To continue with mw appts and review with Dr at 36/40

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------|------|--|-----------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Complex Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |

Complex Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |

Complex Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 27 | | | |
| 28 | | | |
| 29 | | | |
| 30 | | | |
| 31 | | | |
| 32 | | | |
| 33 | | | |
| 34 | | | |
| 35 | | | |

Complex Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------------|------|--|--------------------------|
| 36 | | | |
| 37 | | | |
| 38 | | | |
| 39 | | | |
| 40 | | | |
| 41 | | | |
| 42 | | | |
| 43 | | | |
| 44 | | | |

Complex Care

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------------|------|--|--------------------------|
| 45 | | | |
| 46 | | | |
| 47 | | | |
| 48 | | | |
| 49 | | | |
| 50 | | | |
| 51 | | | |
| 52 | | | |
| 53 | | | |

Postnatal

Postnatal Care

Attendance at 100 postnatal episodes of care with women and, where possible, their babies. This may include women the student has engaged with as part of their continuity of care experiences.

Example: G2P2 Day 0 post EL.LSCS PN ward. I undertook maternal obs- WNL, IDC in situ, I emptied bag, clear urine. I checked IVC is patent and checked wound dressing was clean and dry. I gave analgesia with supervision. I assisted with a post op sponge, and I undertook baby obs (WNL) and assisted her to latch baby to the breast and shared information on how often baby may feed in the first 24 hours.

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 27 | | | |
| 28 | | | |
| 29 | | | |
| 30 | | | |
| 31 | | | |
| 32 | | | |
| 33 | | | |
| 34 | | | |
| 35 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 36 | | | |
| 37 | | | |
| 38 | | | |
| 39 | | | |
| 40 | | | |
| 41 | | | |
| 42 | | | |
| 43 | | | |
| 44 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 45 | | | |
| 46 | | | |
| 47 | | | |
| 48 | | | |
| 49 | | | |
| 50 | | | |
| 51 | | | |
| 52 | | | |
| 53 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 54 | | | |
| 55 | | | |
| 56 | | | |
| 57 | | | |
| 58 | | | |
| 59 | | | |
| 60 | | | |
| 61 | | | |
| 62 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 63 | | | |
| 64 | | | |
| 65 | | | |
| 66 | | | |
| 67 | | | |
| 68 | | | |
| 69 | | | |
| 70 | | | |
| 71 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 72 | | | |
| 73 | | | |
| 74 | | | |
| 75 | | | |
| 76 | | | |
| 77 | | | |
| 78 | | | |
| 79 | | | |
| 80 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 81 | | | |
| 82 | | | |
| 83 | | | |
| 84 | | | |
| 85 | | | |
| 86 | | | |
| 87 | | | |
| 88 | | | |
| 89 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 90 | | | |
| 91 | | | |
| 92 | | | |
| 93 | | | |
| 94 | | | |
| 95 | | | |
| 96 | | | |
| 97 | | | |
| 98 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------------|------|--|--------------------------|
| 99 | | | |
| 100 | | | |
| 101 | | | |
| 102 | | | |
| 103 | | | |
| 104 | | | |
| 105 | | | |
| 106 | | | |
| 107 | | | |

Postnatal

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------------|------|--|--------------------------|
| 108 | | | |
| 109 | | | |
| 110 | | | |
| 111 | | | |
| 112 | | | |
| 113 | | | |
| 114 | | | |
| 115 | | | |
| 116 | | | |

Postnatal

Postnatal care – breastfeeding

Experiences in supporting women to feed their babies and in promoting breastfeeding in accordance with best-practice principles advocated by the Baby Friendly Health Initiative.

Example: Day 2 post SVB, woman G1P1 had GDM and is establishing BF, baby had initial tops ups of EBM. I shared information about optimal positioning and attachment using doll and breast models. Assisted woman to latch baby in football hold position and observed feed.

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Postnatal

Postnatal care – breastfeeding additional

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |

Postnatal

Postnatal care – women’s health and sexual health

Experiences in women’s health and sexual health.

Example: Day 1 post SVB G1P1, PN ward. As part of the discharge process I observed the midwife share information on resumption of intercourse due to 2 degree tear. Discussed planned method of contraception and shared options suitable for breastfeeding. Woman is considering mirena OUD and will visit GP to arrange this.

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Postnatal

Postnatal care – four to six weeks postpartum

Experiences in assessing the mother and baby at four to six weeks postpartum in the practice setting where possible; otherwise by use of simulation. This should include care of the mother and not just baby.

Example: MGP Appointment at home 5 wks postpartum post SVB. G2P2. I undertook maternal obs, mw discussed perinatal mental health and recommended referral to GP. Breastfeeding well, breasts full but soft post feed. Inspected perineum, clean and dry and healing. I palpated abdomen, uterus felt just above pelvis. Baby wt 4335g, BF frequently, stools yellow, I undertook full neonatal examination (see entry #3).

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------------|------|--|--------------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Neonatal Care

Neonatal care – examination of a newborn

Experience in undertaking **20** full examinations of a newborn infant.

Example: I undertook examination with supervision from midwife. Day 0 male infant 2 hours post birth by forceps, wt 3675g, HC 35cm, L 52cm, top to toe examination, noted small forceps mark to right cheek. Skin intact and well perfused. Nothing abnormal noted, baby has Passed urine and meconium, has had initial breastfeed. I administered Vit K and Hep B with consent

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Neonatal

Neonatal care – examination of a newborn

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |

Neonatal

Neonatal care – examination of a newborn

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------------|------|--|--------------------------|
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |

Neonatal

Neonatal care – neonate with special needs

Experiences in care of the neonate with special care needs.

Example: SCN- Female infant D4 born by EM.CS@ 32/40 due to mother's PET. I assisted with neonatal cares such as nappy changes and skin integrity checks. I assisted the mother with Expressing EBM and a NGT feed and an attempt at the breast. I took Baby obs (WNL).

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------|------|--|-----------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Observational experiences



This section should **only be used** for observational experiences such as intrapartum care during home births or episodes at a facility that is not your PMU and only allows for observational attendance. Please use standard MPE entries where applicable.

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 1 | | | |
| 2 | | | |
| 3 | | | |
| 4 | | | |
| 5 | | | |
| 6 | | | |
| 7 | | | |
| 8 | | | |

Observational

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|------------------|------|--|--------------------------|
| 9 | | | |
| 10 | | | |
| 11 | | | |
| 12 | | | |
| 13 | | | |
| 14 | | | |
| 15 | | | |
| 16 | | | |
| 17 | | | |

Observational

| No. (CoC no.) | Date | Information about the woman/baby and care provided | MW signature and date |
|---------------------|------|--|--------------------------|
| 18 | | | |
| 19 | | | |
| 20 | | | |
| 21 | | | |
| 22 | | | |
| 23 | | | |
| 24 | | | |
| 25 | | | |
| 26 | | | |

Continuity of Care Experiences

Experience in woman-centred care as part of continuity of care experiences (CoCE).

The student is supported to:

- i establish, maintain and conclude a professional relationship while experiencing continuity with individual women through pregnancy, labour and birth, and the postnatal period, regardless of model of care;
- ii provide midwifery care within a professional practice setting and under the supervision of a midwife—in collaborative practice arrangements supervision by other relevant registered practitioners (for example, medical officer qualified in obstetrics, child health nurse or physiotherapist) may be appropriate;
- iii engage with a minimum of 10 women—engagement involves attending four antenatal visits, two postnatal visits and, for the majority of women, the labour and birth;
- iv maintain a record of each engagement incorporating regular reflection and review by the education or health service provider.

NOTE: Please refer to UniSC CONNECT guidelines and resources for further information.

CoCE Reflection instructions

Please see details in your Canvas course for information regarding Connect reflection assessment criteria.

Continuity of care experience: 1

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of Care Experiences

Continuity of care experience: 2

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 3

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 4

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 5

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of care experience: 6

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 7

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 8

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 9

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 10

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 11

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences

Continuity of care experience: 12

MPE records relating to this continuity of care experience can be found in the following locations:

| Midwifery Practice Experience Section | MPE Number/s |
|---|--------------|
| <i>Required</i> | |
| Antenatal experiences (min 4) | |
| Postnatal care (min 2) | |
| Did you attend the birth? Yes No (Please circle) | |
| <i>Required for minimum of 6 out of 10 CoC experiences</i> | |
| Labour and birth: primary accoucheur | |
| Labour and birth: additional and direct care | |
| Observational | |
| <i>Additional</i> | |
| Complex care | |
| Postnatal care: breastfeeding | |
| Postnatal care: women's health and sexual health | |
| Postnatal care: 4-6 weeks | |
| Neonatal care: examination of the newborn | |
| Neonatal care: neonate with special needs | |

Notes:

Continuity of Care Experiences